

| | Type | Ref # | Hits | Search Text |
|----|------|-------|------|--|
| 1 | BRS | S1 | 0 | (graphical user interface language extension) and (@ad<"20021001") |
| 2 | BRS | S2 | 0 | (graphical user interface language extensions) and (@ad<"20021001") |
| 3 | BRS | S3 | 0 | (gui language extensions) and (@ad<"20021001") |
| 4 | BRS | S4 | 16 | (gui language) and (@ad<"20021001") |
| 5 | BRS | S5 | 8 | (redstone).as. |
| 6 | BRS | S6 | 2 | (US-20050114497-\$).did. |
| 7 | BRS | S7 | 8 | (gui control system) and (@ad<"20021001") |
| 8 | BRS | S8 | 1 | (gui control interface) and (@ad<"20021001") |
| 9 | BRS | S9 | 10 | (US-6775362-\$ or US-5835696-\$ or US-6055552-\$ or US-4575827-\$ or US-20010025569-\$).did. and (@ad<"20021001") |
| 10 | BRS | S11 | 15 | (US-6775362-\$ or US-5835696-\$ or US-6055552-\$ or US-4575827-\$ or US-20010024469-\$ or US-20040013243-\$ or US-20020083168-\$ or US-20040049530-\$).did. and (@ad<"20021001") |
| 11 | BRS | S10 | 10 | (US-6775362-\$ or US-5835696-\$ or US-6055552-\$ or US-4575827-\$ or US-20010024469-\$).did. and (@ad<"20021001") |
| 12 | BRS | S13 | 3529 | (ui or (user interface)) near3 (monitor\$3) and (@ad<"20021001") |
| 13 | BRS | S12 | 9906 | (ui or (user interface)) with (monitor\$3) and (@ad<"20021001") |

| | DBs | Time Stamp | Comments | Error Definition |
|----|--|-------------------|-----------------|-------------------------|
| 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 16:38 | | |
| 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/13 17:32 | | |
| 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/13 17:32 | | |
| 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:49 | | |
| 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/13 18:54 | | |
| 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:38 | | |
| 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/13 20:01 | | |
| 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/13 20:01 | | |
| 9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 13:52 | | |
| 10 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 17:06 | | |
| 11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 10:56 | | |
| 12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 11:13 | | |
| 13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 11:12 | | |

| | Errors |
|-----------|---------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|------|---|
| 14 | BRS | S14 | 0 | (monitor\$3) (the or a) (ui or (user interface)) and (@ad<"20021001") |
| 15 | BRS | S15 | 353 | (monitor\$3) (ui or (user interface)) and (@ad<"20021001") |
| 16 | BRS | S16 | 0 | (monitor\$3) remote (ui or (user interface)) and (@ad<"20021001") |
| 17 | BRS | S17 | 1 | (US-20040049530-\$).did. and (@ad<"20021001") |
| 18 | BRS | S18 | 2 | (US-20040049530-\$).did. |
| 19 | BRS | S19 | 16 | (encode user input) and (@ad<"20021001") |
| 20 | BRS | S20 | 1611 | (java script) and (@ad<"20021001") |
| 21 | BRS | S21 | 5 | (java script) with (user input) and (@ad<"20021001") |
| 22 | BRS | S22 | 6 | (US-20020062396-\$ or US-20020126654-\$ or US-20030025247-\$).did. |
| 23 | BRS | S23 | 6 | (US-20020062396-\$ or US-20020126654-\$ or US-20030026247-\$).did. |
| 24 | BRS | S24 | 0 | "10/284858" |
| 25 | BRS | S25 | 2 | (US-20040117366-\$).did. |
| 26 | BRS | S26 | 0 | (graphical proxy for less capable terminals).ti. |
| 27 | BRS | S27 | 0 | (graphical proxy for less capable terminals) |

| | DBs | Time Stamp | Comments | Error Definition |
|-----------|--|-------------------|-----------------|-------------------------|
| 14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 11:14 | | |
| 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 11:19 | | |
| 16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 11:19 | | |
| 17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 12:44 | | |
| 18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:35 | | |
| 19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 16:45 | | |
| 20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 16:45 | | |
| 21 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 16:45 | | |
| 22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 17:08 | | |
| 23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/14 17:08 | | |
| 24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:35 | | |
| 25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:40 | | |
| 26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:41 | | |
| 27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:41 | | |

| | Errors |
|-----------|---------------|
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | |
| 25 | |
| 26 | |
| 27 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|------|--|
| 28 | BRS | S28 | 0 | (Graphical Proxy for Less Capable Terminals) |
| 29 | BRS | S29 | 4 | (Graphical Proxy).ti. |
| 30 | BRS | S30 | 0 | (Graphical proxy for less capable terminals).ti. |
| 31 | BRS | S31 | 0 | (Graphical proxy for).ti. |
| 32 | BRS | S32 | 1277 | (captur\$3 near2 command) and (@ad<"20021001") |
| 33 | BRS | S33 | 0 | ((captur\$3 near2 command) with UI) and (@ad<"20021001") |
| 34 | BRS | S34 | 0 | ((captur\$3 near2 command) with ui) and (@ad<"20021001") |
| 35 | BRS | S35 | 2 | ((captur\$3 near2 command) with gui) and (@ad<"20021001") |
| 36 | BRS | S36 | 1 | ((captur\$3 user actions) with gui) and (@ad<"20021001") |
| 37 | BRS | S37 | 63 | ((captur\$3 user actions)) and (@ad<"20021001") |
| 38 | BRS | S38 | 0 | ((captur\$3 user actions)) and scriptand (@ad<"20021001") |
| 39 | BRS | S39 | 51 | ((captur\$3 user actions)) and script and (@ad<"20021001") |
| 40 | BRS | S40 | 2994 | ((ui or gui or (graphical user interface) or (user interface)) and (test\$3 or analy\$3)).ab. and (@ad<"20021001") |
| 41 | BRS | S41 | 1134 | ((gui or (graphical user interface)) and (test\$3 or analy\$3)).ab. and (@ad<"20021001") |

| | DBs | Time Stamp | Comments | Error Definition |
|----|--|-------------------|-----------------|-------------------------|
| 28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:42 | | |
| 29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:43 | | |
| 30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:43 | | |
| 31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:43 | | |
| 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:57 | | |
| 33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:58 | | |
| 34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 14:58 | | |
| 35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 15:16 | | |
| 36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 15:17 | | |
| 37 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 15:46 | | |
| 38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 15:29 | | |
| 39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/15 15:29 | | |
| 40 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 13:56 | | |
| 41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 13:56 | | |

| | Errors |
|-----------|---------------|
| 28 | |
| 29 | |
| 30 | |
| 31 | |
| 32 | |
| 33 | |
| 34 | |
| 35 | |
| 36 | |
| 37 | |
| 38 | |
| 39 | |
| 40 | |
| 41 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|------|--|
| 42 | BRS | S42 | 20 | ((ui or gui or (graphical user interface) or (user interface)) and (test\$3 or analy\$3)).ab. and ((captur\$3 or record\$3) user (input or actions)) and (@ad<"20021001") |
| 43 | BRS | S43 | 14 | ((ui or gui or (graphical user interface) or (user interface)) and (test\$3 or analy\$3)).ab. and ((captur\$3 or record\$3) user (input or actions)) and execut\$3 and (@ad<"20021001") |
| 44 | BRS | S44 | 5 | ((ui or gui or (graphical user interface) or (user interface)) and (test\$3 or analy\$3)).ab. and ((captur\$3 or record\$3) user (input or actions)) and execut\$3 and remot\$2 and (@ad<"20021001") |
| 45 | BRS | S45 | 0 | (remote (ui or gui or (graphical user interface) or (user interface)) and (test\$3 or analy\$3)).ab. and ((captur\$3 or record\$3) user (input or actions)) and execut\$3 and (@ad<"20021001") |
| 46 | BRS | S46 | 0 | (remote (ui or gui or (graphical user interface) or (user interface)) with (test\$3 or analy\$3)) and ((captur\$3 or record\$3) user (input or actions)) and execut\$3 and (@ad<"20021001") |
| 47 | BRS | S47 | 17 | (remote (ui or gui or (graphical user interface) or (user interface)) with (test\$3 or analy\$3)) and (@ad<"20021001") |
| 48 | BRS | S48 | 3 | (remote (ui or gui or (graphical user interface) or (user interface)) (test\$3 or analy\$3)) and (@ad<"20021001") |
| 49 | BRS | S49 | 545 | (google).as. |

| | DBs | Time Stamp | Comments | Error Definition |
|----|--|------------------|----------|------------------|
| 42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:30 | | |
| 43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:35 | | |
| 44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 16:08 | | |
| 45 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:45 | | |
| 46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:46 | | |
| 47 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:48 | | |
| 48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 14:48 | | |
| 49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/16 16:08 | | |

| | Errors |
|-----------|---------------|
| 42 | |
| 43 | |
| 44 | |
| 45 | |
| 46 | |
| 47 | |
| 48 | |
| 49 | |